

(IRD TR.690). Verified by Laurent Chirio. Niakoni (11.187°N, 07.803°W, 378 m elev.). 16 June 2004. J.-F. Trape and I. Ineich. Institut de Recherche pour le Développement at Dakar (IRD TR.938). Verified by Laurent Chirio. First records for Mali (Joger and Lambert 1996. *J. Afr. Zool.* 110:21–51; Uetz and Hošek 2011. The Reptile Database. <http://www.reptile-database.org/>. Accessed December 2011).

**JEAN-FRANÇOIS TRAPE**, Institut de Recherche pour le Développement, B.P. 1386, Dakar, Senegal (e-mail: jean-francois.trape@ird.fr); and **IVAN INEICH**, Muséum national d'Histoire naturelle, Département de Systématique et Evolution, CNRS UMR 7205 (Origine, Structure et Evolution de la Biodiversité), CP 30, 25 rue Cuvier, 75231 Paris Cedex 05, France.

**MABUYA UNIMARGINATA (Central America Mabuya)**. MÉXICO: ESTADO DE MÉXICO: MUNICIPALITY OF TONATICO: La Puerta de Santiago, 5 km SE of Ixtapan de la Sal (18.751111°N, 99.626389°W; NAD 27), 1456 m elev. 25 June 2005. Rodrigo Macip-Ríos, Gabriel Barrios-Quiroz, and Victor Sustaita-Rodríguez. Verified by Luis Canseco Márquez. CNAR 21655–21656. First record for Estado de México (Casas-Andreu and Aguilar-Miguel 2007. *In X. Aguilar-Miguel [ed.], Vertebrados del Estado de México*, pp. 47–81. Ciencias Naturales y Exactas, Ciencias Biológicas, Universidad Autónoma del Estado de México, México) and a range extension of 35 km NW from the closest known locality in Puente de Ixtla, Morelos (Castro-Franco and Bustos-Zagal 2003. *Acta Zool. Mex.* [n.s.] 88:123–142). The lizards were collected by hand while they were basking on an abandoned stone wall.

**RODRIGO MACIP-RIOS** (e-mail: rmacip@ciencias.unam.mx), **GABRIEL BARRIOS-QUIROZ**, **VICTOR SUSTAITA-RODRÍGUEZ**, and **GUSTAVO CASAS-ANDREU**, Laboratorio de Herpetología, Instituto de Biología, Universidad Nacional Autónoma de México, A.P. 70-153, 04510, México, D.F. México; **XÓCHITL AGUILAR-MIGUEL**, Centro de Investigación en Recursos Bióticos, Facultad de Ciencias, Universidad Autónoma del Estado de México, Instituto Literario #100, 50000, Toluca, Estado de México, México.

**MESALINA PASTEURI (Pasteur's Desert Racer)**. MALI: MENAKA DISTRICT: ca 60 km NW Tidermene (17.0213°N, 02.1039°E; WGS 84; 340 m elev.). 10 February 2004. J.-F. Trape. Institut de Recherche pour le Développement at Dakar (IRD TR.395). Verified by Laurent Chirio. Second record for Mali, extends known range ca 250 km SW of Tin Amzi valley where frontiers of Mali, Algeria and Niger meet (Joger and Lambert 1996. *J. Afr. Zool.* 110:21–51; Sindaco and Jeremcenko 2008. *The Reptiles of the Western Palearctic*. Edizioni Belvedere, Latina. 579 pp.; Uetz and Hošek 2011. The Reptile Database. <http://www.reptile-database.org/>. Accessed December 2011).

**JEAN-FRANÇOIS TRAPE**, Institut de Recherche pour le Développement, B.P. 1386, Dakar, Senegal (e-mail: jean-francois.trape@ird.fr).

**NOROPS CARPENTERI**. HONDURAS: GRACIAS A DIOS: Bachi Kiamp (15.133333°N, 84.40°W; WGS84), 40 m elev. 16 July 2009. James R. McCranie. SMF 91746. Verified by Sebastian Lotzkat. First record for Honduras, extending range ca. 120 km NE from the closest known locality in Parque Nacional Saslaya, Atlántico Norte, Nicaragua (Sunyer and Köhler 2007. *Salamandra* 43:57–62). The lizard was active during the afternoon in secondary vegetation on a riverbank.

**JAMES R. MCCRANIE**, 10770 SW 164<sup>th</sup> Street, Miami, Florida 33157–2933, USA (e-mail: jmccrani@bellsouth.net); **GUNTHER KÖHLER** Forschungsinstitut und Naturmuseum Senckenberg, Senckenberganlage 25, D-60325 Frankfurt am Main, Germany (e-mail: gkoehler@senckenberg.de).

**PANASPIS TOGOENSIS (Togo Lidless Skink)**. MALI: SIKASSO REGION: ca Doussoudiana (11.1240°N, 07.7725°W; WGS 84; 341 m elev.). 15 June 2004. J.-F. Trape and I. Ineich. Four specimens. Institut de Recherche pour le Développement at Dakar (IRD TR.671–674). Verified by Laurent Chirio. First records for Mali (Joger and Lambert 1996. *J. Afr. Zool.* 110:21–51; Uetz and Hošek 2011. The Reptile Database. <http://www.reptile-database.org/>. Accessed December 2011).

**JEAN-FRANÇOIS TRAPE**, Institut de Recherche pour le Développement, B.P. 1386, Dakar, Senegal (e-mail: jean-francois.trape@ird.fr); and **IVAN INEICH**, Muséum national d'Histoire naturelle, Département de Systématique et Evolution, CNRS UMR 7205 (Origine, Structure et Evolution de la Biodiversité), CP 30, 25 rue Cuvier, 75231 Paris Cedex 05, France.

**PHRYNOSOMA MODESTUM (Round-tailed Horned Lizard)**. USA: OKLAHOMA: LE FLORE Co. 1940. W. C. Hobgood. Verified by Alan Resetar. FMNH 40808 (accessed through the HerpNet2 Portal, [www.herpnet2.org](http://www.herpnet2.org), 26 Sep. 2011). This specimen was originally identified as *P. cornutum*, and was only recently corrected. The record represents a geographic range extension of approximately 550 km from the nearest confirmed county record of *P. modestum* in Hall Co., Texas (Dixon 2000. *Amphibians and Reptiles of Texas*. Texas A&M University Press, College Station. 500 pp.), excluding an unconfirmed Baylor Co. account that was considered erroneous (Axtell 1988. *Interpretive Atlas of Texas Lizards* [6]:1–18 + map. Southern Illinois University, Edwardsville).

The closest confirmed location of *P. modestum* in Oklahoma is approximately 790 km distant, in Cimarron Co. (Clarke 1983. *Bull. Oklahoma Herpetol. Soc.* 12:16). Museum records indicate that FMNH 40808 was collected in Le Flore Co., Oklahoma near Rich Mountain, Arkansas; we suggest this means the specimen was taken in Le Flore Co., Oklahoma very close to the Arkansas border adjacent to Rich Mountain, Arkansas. No additional locality information is available. There is apparently a peripheral population of *Crotalus atrox* in the Ouachita Mountains, another species with a more southwestern U.S. primary distribution (Sievert and Sievert 2011. *A Field Guide to Oklahoma's Amphibians and Reptiles*. Oklahoma Dept. Wildlife Conservation, Oklahoma City. 211 pp.). Future surveys for *P. modestum* in the area should be conducted to determine if the species persists in eastern Oklahoma.

**DANIEL J. MARTIN**, Natural Resource Ecology Laboratory, Colorado State University, 1499 Campus Delivery, Fort Collins, Colorado 80523 USA (e-mail: dannym77@lamar.colostate.edu); **DANIEL J. LEAVITT**, MS 2258, Texas Cooperative Wildlife Collection, Department of Wildlife and Fisheries Sciences, Texas A&M University, College Station, Texas 77843, USA (e-mail: dlea886@tamu.edu).

**PLESTIODON LATICEPS (Broad-headed Skink)**. USA: OHIO: LAWRENCE Co.: Symmes Township, Wayne National Forest (38.76625°N, 82.53390°W; WGS 84). 5 June 2010. B. Folt and C. Brune. Verified by Scott Moody. Photo voucher in Cincinnati Museum Center, Geier Collections and Research Center (CMC HP 6543). New county record (Wynn and Moody 2006. *Ohio Turtle, Lizard, and Snake Atlas*. Ohio Biol. Surv. Misc. Contr. No. 10, Columbus. iv + 81 pp.).

**BRIAN P. FOLT**, Department of Biological Sciences, Auburn University, Auburn, Alabama 36849-5414, USA; e-mail: brian.folt@gmail.com.

**POLYCHRUS MARMORATUS (Green Lizard)**. BRAZIL: ALA-GOAS: MUNICIPALITY OF MACEIÓ: Serra da Saudinha (09.366°S, 35.750°W; SAD69). November 2005. U. Gonçalves and S.